

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| - | 1564 | search\$4 same database\$1 same rule\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:55 |
| - | 478 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:50 |
| - | 372 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and display\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:13 |
| - | 196 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and (display\$3 same result\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:51 |
| - | 478 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 21:33 |
| - | 2 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and (display\$3 same result\$3)) and (engineer\$3 same portal\$1 same site\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:52 |
| - | 2 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and (display\$3 same result\$3)) and (engineer\$3 same portal\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:52 |
| - | 7 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and (display\$3 same result\$3)) and (engineer\$3 same site\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:52 |
| - | 86 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and (display\$3 same result\$3)) and engineer\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:16 |
| - | 10 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and (display\$3 same result\$3)) and engineer\$3) and (meta same case) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:53 |
| - | 18 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and (display\$3 same result\$3)) and engineer\$3) and meta | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:55 |
| - | 83 | ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem)) and (display\$3 same result\$3)) and engineer\$3) and case | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 12:55 |

| | | | | |
|---|----|--|---|------------------|
| - | 15 | search\$4 same ((meta or case) near database\$1) same rule\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:53 |
| - | 9 | (search\$4 same ((meta or case) near database\$1) same rule\$1) and display\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:13 |
| - | 7 | (search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:32 |
| - | 2 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and portal\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:17 |
| - | 3 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and site\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:17 |
| - | 1 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and exampl\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:32 |
| - | 2 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and portal\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:32 |
| - | 6 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and user\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:33 |
| - | 6 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and user\$1) and inform\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:33 |
| - | 5 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and user\$1) and inform\$5) and new | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:41 |
| - | 3 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and user\$1) and inform\$5) and new) and content\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:41 |
| - | 1 | ((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and user\$1) and inform\$5) and new) and content\$1) and custom\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:42 |

| | | | | |
|---|------|--|---|------------------|
| - | 1 | (((((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and user\$1) and inform\$5) and new) and content\$1) and compan\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:42 |
| - | 2 | (((((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and user\$1) and inform\$5) and new) and content\$1) and transmi\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/02 13:45 |
| - | 2 | (((((search\$4 same ((meta or case) near database\$1) same rule\$1) and engineer\$3) and user\$1) and inform\$5) and new) and content\$1) and improv\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/03 16:23 |
| - | 0 | jp-a-9-251385.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/03 16:31 |
| - | 0 | jp-a-9-251385.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/03 16:24 |
| - | 171 | yamada-naoyuki.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/03 16:24 |
| - | 30 | ie-shinichiro.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/03 16:24 |
| - | 11 | yamada-naoyuki.in. and ie-shinichiro.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/03 16:25 |
| - | 4651 | (706/47 xor 707/3).ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:10 |
| - | 1964 | (HIRA-YASUO xor SATO-MASAAKI xor ODAMURA-MOTOMI xor SAKAMOTO-TSUTOMU xor NEMOTO-SAKEE xor KUMAGAI-TERUO).in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:55 |
| - | 5207 | instrument\$6 same select\$4 same part\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:32 |
| - | 5489 | (histor\$4 log\$4) near instruct\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:35 |

| | | | | |
|---|----------|--|---|------------------|
| - | 11283 | priorit\$3 adj level\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:36 |
| - | 3 | ((destroy\$4 destruct\$3) near sample) same (morpholog\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 17:41 |
| - | 19597267 | @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:42 |
| - | 23656530 | @ad<=20040202 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:42 |
| - | 41985 | @ad>=20040202 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:43 |
| - | 0 | ((HIRA-YASUO xor SATO-MASAAKI xor ODAMURA-MOTOMI xor SAKAMOTO-TSUTOMU xor NEMOTO-SAKEE xor KUMAGAI-TERUO).in.) and @ad>=20040202 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:18 |
| - | 11 | (instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:00 |
| - | 2 | ((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) and (priorit\$3 adj level\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:57 |
| - | 9 | ((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) not (((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) and (priorit\$3 adj level\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:01 |
| - | 5 | ((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) not (((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) and (priorit\$3 adj level\$1))) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 19:57 |
| - | 12 | (instrument\$6 same select\$4 same part\$1) and (priorit\$3 adj level\$1) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:01 |
| - | 10 | ((instrument\$6 same select\$4 same part\$1) and (priorit\$3 adj level\$1) and @ad<=20000908) not (((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) and (priorit\$3 adj level\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:02 |

| | | | | |
|---|------|---|---|------------------|
| - | 10 | ((instrument\$6 same select\$4 same part\$1) and (priorit\$3 adj level\$1) and @ad<=20000908) not (((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) and (priorit\$3 adj level\$1))) not (((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) not (((instrument\$6 same select\$4 same part\$1) and ((histor\$4 log\$4) near instruct\$4)) and (priorit\$3 adj level\$1))) and @ad<=20000908) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:02 |
| - | 8049 | (706/47 xor 707/3 xor 707/10).ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:11 |
| - | 6 | ((706/47 xor 707/3).ccls.) and (instrument\$6 same select\$4 same part\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:20 |
| - | 9 | ((706/47 xor 707/3 xor 707/10).ccls.) and (instrument\$6 same select\$4 same part\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:21 |
| - | 52 | ((706/47 xor 707/3 xor 707/10).ccls.) and ((histor\$4 log\$4) near instruct\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:22 |
| - | 115 | ((706/47 xor 707/3 xor 707/10).ccls.) and (priorit\$3 adj level\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:26 |
| - | 5 | ((706/47 xor 707/3 xor 707/10).ccls.) and (instrument\$6 same select\$4 same part\$1)) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:15 |
| - | 94 | ((706/47 xor 707/3 xor 707/10).ccls.) and ((histor\$4 log\$4) near instruct\$4)) and @ad<=20000908) xor (((706/47 xor 707/3 xor 707/10).ccls.) and (priorit\$3 adj level\$1)) and @ad<=20000908) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 20:27 |
| - | 33 | ((706/47 xor 707/3 xor 707/10).ccls.) and ((histor\$4 log\$4) near instruct\$4)) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 08:59 |
| - | 63 | ((706/47 xor 707/3 xor 707/10).ccls.) and (priorit\$3 adj level\$1)) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 07:00 |
| - | 102 | ((destroy\$4 destruct\$3) near sample) same (morpholog\$2)) xor (((706/47 xor 707/3 xor 707/10).ccls.) and ((histor\$4 log\$4) near instruct\$4)) and @ad<=20000908) xor (((706/47 xor 707/3 xor 707/10).ccls.) and (priorit\$3 adj level\$1)) and @ad<=20000908)) xor (((706/47 xor 707/3 xor 707/10).ccls.) and (instrument\$6 same select\$4 same part\$1)) and @ad<=20000908) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 21:26 |

| | | | | |
|---|----|--|---|------------------|
| - | 0 | (((((destroy\$4 destruct\$3) near sample) same (morpholog\$2)) xor (((((706/47 xor 707/3 xor 707/10).ccls.) and ((histor\$4 log\$4) near instruct\$4)) and @ad<=20000908) xor (((((706/47 xor 707/3 xor 707/10).ccls.) and (priorit\$3 adj level\$1)) and @ad<=20000908)) xor (((((706/47 xor 707/3 xor 707/10).ccls.) and (instrument\$6 same select\$4 same part\$1)) and @ad<=20000908)) and (search\$4 same ((meta or case) near database\$1) same rule\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 21:27 |
| - | 3 | (((((destroy\$4 destruct\$3) near sample) same (morpholog\$2)) xor (((((706/47 xor 707/3 xor 707/10).ccls.) and ((histor\$4 log\$4) near instruct\$4)) and @ad<=20000908) xor (((((706/47 xor 707/3 xor 707/10).ccls.) and (priorit\$3 adj level\$1)) and @ad<=20000908)) xor (((((706/47 xor 707/3 xor 707/10).ccls.) and (instrument\$6 same select\$4 same part\$1)) and @ad<=20000908)) and ((search\$4 same database\$1 same rule\$1) and ((solution\$1 or solv\$3) same problem\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 21:28 |
| - | 2 | jp-09251385\$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 21:34 |
| - | 1 | ((((706/47 xor 707/3 xor 707/10).ccls.) and (priorit\$3 adj level\$1) and ((histor\$4 log\$4) near instruct\$4)) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:12 |
| - | 0 | ((((706/47 xor 707/3 xor 707/10).ccls.) and (instruments same select\$4 same part\$1)) not (((((706/47 xor 707/3 xor 707/10).ccls.) and (instrument\$6 same select\$4 same part\$1))) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:16 |
| - | 9 | ((((706/47 xor 707/3 xor 707/10).ccls.) and (instruments same (select\$4 and part\$1))) not (((((706/47 xor 707/3 xor 707/10).ccls.) and (instrument\$6 same select\$4 same part\$1))) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:11 |
| - | 49 | ((((706/47 xor 707/3 xor 707/10).ccls.) and (instruments and (select\$4 same part\$1))) not (((((706/47 xor 707/3 xor 707/10).ccls.) and (instrument\$6 same select\$4 same part\$1))) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:09 |
| - | 87 | ((destroy\$4 destruct\$3) same sample) same (morpholog\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:07 |
| - | 74 | (((((destroy\$4 destruct\$3) same sample) same (morpholog\$2)) and (difficult\$3 degree\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:07 |
| - | 0 | ((706/47 xor 707/3 xor 707/10).ccls.) and (((destroy\$4 destruct\$3) same sample) same (morpholog\$2)) and (difficult\$3 degree\$3)) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:11 |

| | | | | |
|---|----|--|---|------------------|
| - | 64 | (((((destroy\$4 destruct\$3) same sample) same (morpholog\$2)) and (difficult\$3 degree\$3)) and level\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:11 |
| - | 0 | (((((destroy\$4 destruct\$3) same sample) same (morpholog\$2)) and (difficult\$3 degree\$3)) and (priorit\$3 adj level\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:12 |
| - | 65 | (((((destroy\$4 destruct\$3) same sample) same (morpholog\$2)) and (difficult\$3 degree\$3)) and (priorit\$3 level\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:12 |
| - | 2 | (((((destroy\$4 destruct\$3) same sample) same (morpholog\$2)) and (difficult\$3 degree\$3)) and (priorit\$3 same level\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:13 |
| - | 9 | (((((destroy\$4 destruct\$3) same sample) same (morpholog\$2)) and (difficult\$3 degree\$3)) and (priorit\$3 and level\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 16:14 |
| - | 3 | (((((destroy\$4 destruct\$3) same sample) same (morpholog\$2)) and (difficult\$3 degree\$3)) and (priorit\$3 and level\$1)) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 17:42 |
| - | 4 | (((((destroy\$4 destruct\$3) same sampl\$3) same (morpholog\$4)) and (difficult\$3 degree\$3)) and (priorit\$3 and level\$1)) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 17:37 |
| - | 6 | ((destroy\$4 destruct\$3) near sampl\$3) same (morpholog\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 17:40 |
| - | 3 | ((destroy\$4 destruct\$3) near sampl\$3) same (morpholog\$4)) not ((destroy\$4 destruct\$3) near sample) same (morpholog\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 17:41 |
| - | 2 | (((((destroy\$4 destruct\$3) near sampl\$3) same (morpholog\$4)) not ((destroy\$4 destruct\$3) near sample) same (morpholog\$2)) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 17:42 |
| - | 9 | search\$4 same ((meta or case) near database\$1) same rule\$1 and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:58 |
| - | 1 | (search\$4 same ((meta or case) near database\$1) same rule\$1 and @ad<=20000908) and (examples sampl\$3) same (solutions solv\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:55 |

| | | | | |
|---|--------|--|---|------------------|
| - | 20 | (case adj databas\$2) and (examples samples) with solutions | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:57 |
| - | 7 | ((case adj databas\$2) and (examples samples) with solutions) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:58 |
| - | 4 | ((((case adj databas\$2) and (examples samples) with solutions) and @ad<=20000908) and display\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 20:45 |
| - | 1 | | USPAT; US-PGPUB | 2004/10/14 19:56 |
| - | 1 | | USPAT; US-PGPUB | 2004/10/14 20:19 |
| - | 12618 | (new fresh novel) adj (solution solv\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 20:40 |
| - | 12827 | (new fresh novel) adj (solution solv\$3 answer\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 20:43 |
| - | 845066 | idea\$1 thought\$1 think\$3 notion\$1 concept\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 20:44 |
| - | 277 | ((new fresh novel) adj (solution solv\$3 answer\$3)) same (idea\$1 thought\$1 think\$3 notion\$1 concept\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 20:44 |
| - | 2 | (case adj databas\$2) and (((new fresh novel) adj (solution solv\$3 answer\$3)) same (idea\$1 thought\$1 think\$3 notion\$1 concept\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 20:45 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 1 | 9 | search\$4 same ((meta or case) near database\$1) same rule\$1 and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:58 |
| 6 | 1 | (search\$4 same ((meta or case) near database\$1) same rule\$1 and @ad<=20000908) and (examples sampl\$3) same (solutions solv\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:55 |
| 7 | 20 | (case adj databas\$2) and (examples samples) with solutions | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:57 |
| 8 | 7 | ((case adj databas\$2) and (examples samples) with solutions) and @ad<=20000908 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:58 |
| 9 | 4 | ((((case adj databas\$2) and (examples samples) with solutions) and @ad<=20000908) and display\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/14 18:58 |